

Notice of Intent for the Offshore Subcategory of the On and Sub-Attack. Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012,

http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

	Enter NPDESID *	Organization Formal Name	•					
GM G29	0541	Fieldwood Energy LLC						
			paran					
		Fieldwood						
Reason f	or Submission "							
○ Chan	nge operator legal name and address	● F	Add structures		Change structure information			
O Delet	te structures	0 /	Add limit set(s) for an existing permitted feature		O Delete limit set(s) from an existing permitted feature			
Add Structure	95							
Non-Sen	sitive Areas							
Lease B	lock 1							
Lease Ar	ea Block Name "	Lease Area Block Number *	Lease Area Block BOEM Number *					
South T	lim balier	139	G18040	X				
- Car - 1								
Structu	ire i							

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	ST-139A	+ 28.664258	90.4511454	
Water Depth (in feet)	Built after 07/17/2006?* No			
	Cooling Water Intake Stru	octure (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (VVV)
Z ·	Produced Water (PR)	San tary & Domestic WW. Deck Drainage (WW)	Stock Base Fluid Drill (SB)	Well Fluids (VF)
Add Structure				
Lease Block 2				
Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number*		
South Timbalier	205	G05612	X	
Structure 1				
Type * Platform	Description ST-205B	Latitude (in decimal degrees) *	Longitude (in decimal degrees) * 90.436932] x
Water Depth (in feet)	Built after 07/17/2006?*	20.100000	00.10002]
161	No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	∀ Hydrate Control Fluid (HF)	⊠ Maintena∧ce 84₽ (WM)
X section of the	Produced Water (PR)	San tary & Domeratic WAY, Deck Drainage WWY	Stock Base Fluid Drill (SB)	
Add Structure		·		
Structure 2				
Type * Platform	Description ST-205F	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *) x
Water Depth (in feet)	Built after 07/17/2006?*			
155	No			
X Gen level was	Cooling Water Intake Stru		Hydrate Control Fluid (HF)	▼ Meintenence 8MP (VM)
X Machiner (S)	Produced Water (PR)	Senitary & Domestic WW. Deck Oralinage (WW)	Stock Base Fluid Drill (SB)	
Add Structure				
Structure 3				

Type *	Description			Latitude (in decimal degr	ees) *	Longitude (in decimal degrees) *	
Platform	ST-205G		+	28.453725	-	90.3834128	X
Water Depth (in feet)	Built after 07/1	7/2006?*					
	[Cooling Water Intake Struct	ire (CW)	Drilling Fluidsand	d Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WW)
	[Produced Water (PR)		\boxtimes		Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structure							
Lease Block 3							
Lease Area Block Name		Lease Area Block Number *		Lease Area Block BO	EM Number*		
South Timbalier		206		G05613		X	
Structure 1							
Type *	Description			Latitude (in decimal degr	ees) *	Longitude (in decimal degrees) *	
Platform	ST-206A		+	28.429881		90.308155	
Water Depth (in feet)	Built after 07/1	7/2006?*					
173	No						
X	[Cooling Water Intake Struct	ıre (CW)			Hydrate Control Fluid (HF)	Maintenance BMF (WM)
X section and a]	Produced Water (PR)				Stock Base Fluid Drill (SB)	── Well Pluide(WF)
Add Structure	a						
Lease Block 4							
Lease Area Block Name		Lease Area Block Number *		Lease Area Block BO	EM Number*		
South Timbalier South	Addition	291		G16455		X	
Structure 1							

Type *	Description	Latitude (in decimal degre	es) *	Longitude (in decimal degrees) *	
Platform	ST-291A	+ 28.19753	-	90.3447419	
Water Depth (in feet)	Built after 07/17/2006?*				
394	No				
	Cooling Wat	er Intake Structure (CW) Drilling Fluids and		─────────────────────────────────	Maintenance BMP (WW)
	∑ Produced W	ater (PR) (Sanitary & Domest Drainage (VVV)		Stock Base Fluid Drill (SB)	Well fluids (WF)
Add Structure					
Lease Block 5					
Lease Area Block Name *	Lease Area Blo	ock Number* Lease Area Block BOE	M Number*		
South Timbalier South A	Addition 295	G05646		X	
Structure 1					
Type *	Description	Latitude (in decimal degre	es) *	Longitude (in decimal degrees) *	1
Platform	ST-295A	+ 28.196292		90.541258	X
Water Depth (in feet)	Built after 07/17/2006?*				
282	No				
X Chen Treasured Max	Cooling Wat	er Intake Structure (CW) Drilling Fluids and		Hydrate Control Fluid (HF)	⊠ Maintenance BMP (WM)
		later (PR) San Fary & Comercial Grainage (V499)		Stock Base Fluid Drill (SB)	Well Fluide (WF)
Add Structure					
Structure 2					
Type *	Description	Latitude (in decimal degre	es) *	Longitude (in decimal degrees) *	
Platform	ST-295B	+ 28.195530	-	90.5413203	X
Water Depth (in feet)	Built after 07/17/2006?*				
282	No				
X Constitution	Cooling Wat	er Intake Structure (CW) Drilling Fluids and		── Hydrate Control Fluid (HF)	X Marriener Cr BM P (V/M)
X Mac Cassas (a MC	Produced W	ater (PR)		Stock Base Fluid Drill (SB)	
Add Structure					

Lease Area Block Nam South Timbalier Sout		Lease Area Block Numb	er*	Lease Area Block BOEM Numb	er*	7 x	
Outh Impanol Coat	III Addition	300		G21003			
Structure 1							
Type * Platform	Description			ititude (in decimal degrees) *	1	Longitude (in decimal degrees) *	
	ST-308A	07/47/90069 *		8.161413] [-	90.2276251	
Water Depth (in feet 484	No Built after t	07/17/2006?*					
×		Cooling Water Intake	Structure (CW)	Drilling Fluids and Cuttings	(DF)	Hydrate Control Fluid (HF)	Maintenants 8¥P (VVV)
		Produced Water (PR)		Sanitary & Domestic WW, 0 Drainage (WW)		Stock Base Fluid Drill (SB)	Well Flands (WF)
Add Structu	ure						
	3						
Lease Block 7 Lease Area Block Nam	*	Lease Area Block Numb	-2.*	Lease Area Block BOEM Numb	*		
South Timbalier	ie.	49	31	G24956	er —		
Structure 1							
Type *	Description			ititude (in decimal degrees) *	, ,	Longitude (in decimal degrees) *	
Platform	ST-49A			8.909105	-	90.4187771	
Water Depth (in feet 60	t) Built after (Yes	07/17/2006?* Design Int	ake Capacity (m	illion gallonsperday)* De	sign Int	ake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
×		Cooling Water Intake	Structure (CW)	Drilling Fluids and Cuttings	(DF)	Hydrate Control Fluid (HF)	Maintener (2 BMF (WM)
$\overline{\times}$		Produced Water (PR)				Stock Base Fluid Drill (SB)	— ∑ Well fluids (WF)
Add Structu		(2.3)		(CA) Drainage (WW)			(A)
Lease Block 8							
Lease Area Block Nam South Timbalier	ie*	Lease Area Block Numb	er*	Lease Area Block BOEM Numb	er*	7 x	
				00000		J^	
Structure 1							
Correspond							

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	ST-68#1	+ 28.803742 -	90.4271773	
Water Depth (in feet)	Built after 07/17/2006?* No			
	Cooling Water Intake Struct	ure (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
(X) MacDistriction	Produced Water (PR)	Sanitary & Obmestic WW. Deck	Stock Base Fluid Drill (SB)	─────────────────────────────────────
Add Structure		Company (WW)		· · ·
Lease Block 9				
Lease Area Block Name * South Timbalier	Lease Area Block Number * 72	Lease Area Block BOEM Number * G01244		
Lecation time date	12	001244		
Structure 1				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	ST-72#3	+ 28.810868 -	90.629059	X
Water Depth (in feet)	Built after 07/17/2006?*			•
62	No			
X Commission	Cooling Water Intake Struct		Hydrate Control Fluid (HF)	⊠ Marrianance BMP (WM)
\mathbb{X} is the second of \mathbb{X}	Produced Water (PR)	San tary & Demestic AVV. Deck Drawnage Avv.	Stock Base Fluid Drill (SB)	▼ Well Fluida (MF)
Add Structure	•			
Structure 2				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	ST-72#7	+ 28.821883	90.606938	X
Water Depth (in feet)	Built after 07/17/2006?*			
60	No	(84)		
		ure (CW) Drilling Fluids and Cuttings (DF)	Hydrate Control Fluid (HF)	X samener (# 84P (W4)
X section of the	Produced Water (PR)	X Drainage (WW)	Stock Base Fluid Drill (SB)	▼ Well Turas (WF)
Add Structure				
Structure 3				

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	ST-72B	+ 28.808184	90.6081172] X
Water Depth (in feet)	Built after 07/17/2006?*			
60	No			
	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance BMP (WM)
	Produced Water (PR)	San Lary & Domestic AVV. Deck Dramege AVA	Stock Base Fluid Drill (SB)	Well Fluids (WF)
Add Structure	e			
Structure 4				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	ST-72#17	+ 28.822020	90.60685] X
Water Depth (in feet)	Built after 07/17/2006?*			
60	No			
Chem Trailed Mis	Cooling Water Intake Stru	cture (CW) Drilling Fluidsand Cuttings (DF)	Hydrate Control Fluid (HF)	Maintenance 8VP (VVI)
Micc Discharge (MI	Produced Water (PR)	∑ San Lary & Doraedic WW, Deck Drainage (WW)	Stock Base Fluid Drill (SB)	
Add Structure	e			
Structure 5				
Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	_
Platform	ST-72#18	+ 28.810950	90.6290585	X
Water Depth (in feet)	Built after 07/17/2006?*			
62	No			
X Chan The edition	Cooling Water Intake Stru	LI	Hydrate Control Fluid (HF)	⊠ Maintenance BMF WW)
X Misc Discharge (4)	Produced Water (PR)	XII (An hay A three each over the A Distribute (An A)	Stock Base Fluid Drill (SB)	X Well Fluide (WF)
Add Structure	e			
Lease Block 10				
Lease Area Block Name	* Lease Area Block Number *	Lease Area Block BOEM Number *		
Sabine Pass (TX)	17	G04143	X	
Structure 1				

17JC	+ 29.532328	- 93.7966269	9	
Built after 07/17/2006? * Design Ir Yes 0	ntake Capacity (million gallonsper day) *	Design Intake Velocity (in	n feet per second) *	Percentage of Intake Water for Cooling *
—				Maintenance BMP (WM) Well Fluids (WF)
10.	/DD\ :	form Action *		
	Yes 0 Tooling Water Intake Produced Water (PR)	Yes 0 arge (CT) Cooling Water Intake Structure (CW) Drilling Fluids and Produced Water (PR) Sanitary & Domest Drainage (WW)	Yes 0 Cooling Water Intake Structure (CW) Drilling Fluids and Cuttings (DF) Hydr Produced Water (PR) Section & Domesic Wy, Deck Stock	Yes 0 0 0

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.